

Moon Lake - Deep Hole 2010 Results



Moon Lake - Deep Hole was sampled **8** different days during the 2010 season. Parameters sampled included:

- water clarity
- temperature
- dissolved oxygen
- total phosphorus
- chlorophyll

The average summer (July-Aug) secchi disk reading for Moon Lake - Deep Hole (Vilas County, WBIC: 1005800) was 17.45 feet. The average for the Northeast Georegion was 9.4 feet. Typically the summer (July-Aug) water was reported as **CLEAR** and **BLUE**.

Chemistry data was collected on Moon Lake - Deep Hole. The average summer Chlorophyll was 2 µg/l (compared to a Northeast Georegion summer average of 14.4 µg/l). The summer Total Phosphorus average was 8.8 µg/l. Lakes that have more than 20 µg/l and impoundments that have more than 30 µg/l of total phosphorus may experience noticeable algae blooms.

The overall Trophic State Index (based on chlorophyll) for Moon Lake - Deep Hole was 40. The TSI suggests that Moon Lake - Deep Hole was **oligotrophic**. This TSI suggests deeper lakes still oligotrophic, but bottom water of some shallower lakes will become oxygen-depleted during the summer.

Reproduced with permission from the Department of Natural Resources



dnr.wi.gov